




SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 6



EN 1092-1

DN	D	b	f	a	VITI	N. FORI	Kg.
10	75	12	11	50	M10	4	0,5
15	80	12	11	55	M10	4	0,5
20	90	14	11	65	M10	4	0,5
25	100	14	11	75	M10	4	1,0
32	120	14	14	90	M12	4	1,0
40	130	14	14	100	M12	4	1,5
50	140	14	14	110	M12	4	1,5
65	160	14	14	130	M12	4	2,0
80	190	16	18	150	M16	4	3,5
100	210	16	18	170	M16	4	4,0
125	240	18	18	200	M16	8	6,0
150	265	18	18	225	M16	8	7,5
200	320	20	18	280	M16	8	12,5
250	375	22	18	335	M16	12	18,5
300	440	22	22	395	M20	12	25,5
350	490	22	22	445	M20	12	32,0
400	540	22	22	495	M20	16	38,5
450	595	24	22	550	M20	16	51,0
500	645	24	22	600	M20	20	60,0
600	755	30	26	705	M24	20	103,0
700	860	40	26	810	M24	24	178,5
800	975	44	30	920	M27	24	252,0
900	1075	48	30	1020	M27	24	335,5
1000	1175	52	30	1120	M27	28	434,5
1200	1405	60	33	1340	M30	32	717,5
1400	1630	68	36	1560	M33	36	1094,0
1600	1830	76	36	1760	M33	40	1545,5
1800	2045	84	39	1970	M36	44	2131,0
2000	2265	92	42	2180	M39	48	2862,0




SIRIO
WATER SOLUTION - SINCE 1990



SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 10



EN 1092-1

DN	D	b	f	a	VITI	N. FORI	Kg
10	90	16	14	60	M12	4	1,0
15	95	16	14	65	M12	4	1,0
20	105	18	14	75	M12	4	1,0
25	115	18	14	85	M12	4	1,5
32	140	18	18	100	M16	4	2,0
40	150	18	18	110	M16	4	2,5
50	165	18	18	125	M16	4	3,0
65	185	18	18	145	M16	8	3,5
80	200	20	18	160	M16	8	4,5
100	220	20	18	180	M16	8	5,5
125	250	22	18	210	M16	8	8,0
150	285	22	22	240	M20	8	10,5
200	340	24	22	295	M20	8	16,5
250	395	26	22	350	M20	12	24,0
300	445	26	22	400	M20	12	31,0
350	505	26	22	460	M20	16	39,5
400	565	26	26	515	M24	16	49,5
450	615	28	26	565	M24	20	63,0
500	670	28	26	620	M24	20	76,5
600	780	34	30	725	M27	20	124,0
700	895	38	30	840	M27	24	182,5
800	1015	48	33	950	M30	24	297,0
900	1115	50	33	1050	M30	28	374,0
1000	1230	54	36	1160	M33	28	492,0
1200	1455	66	39	1380	M36	32	842,0
1400	1675	*	42	1590	M39	36	-
1600	1915	*	48	1820	M45	40	-
1800	2115	*	48	2020	M45	44	-
2000	2325	*	48	2230	M45	48	-




SIRIO
WATER SOLUTION - SINCE 1990



SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 16



EN 1092-1

DN	D	b	f	a	VITI	NL FORI	Kg
10	90	16	14	60	M12	4	1,0
15	95	16	14	65	M12	4	1,0
20	105	18	14	75	M12	4	1,0
25	115	18	14	85	M12	4	1,5
32	140	18	18	100	M16	4	2,0
40	150	18	18	110	M16	4	2,5
50	165	18	18	125	M16	4	3,0
65	185	18	18	145	M16	8	3,5
80	200	20	18	160	M16	8	4,5
100	220	20	18	180	M16	8	5,5
125	250	22	18	210	M16	8	8,0
150	285	22	22	240	M20	8	10,5
200	340	24	22	295	M20	12	16,5
250	405	26	26	355	M24	12	25,0
300	460	28	26	410	M24	12	35,0
350	520	30	26	470	M24	16	48,0
400	580	32	30	525	M27	16	63,5
450	640	40	30	585	M27	20	95,5
500	715	44	33	650	M30	20	133,0
600	840	54	36	770	M33	20	226,5
700	910	58	36	840	M33	24	285,0
800	1025	62	39	950	M36	24	388,0
900	1125	64	39	1050	M36	28	483,0
1000	1255	68	42	1170	M39	28	640,0
1200	1485	*	48	1390	M45	32	-
1400	1685	*	48	1590	M45	36	-
1600	1930	*	56	1820	M52	40	-
1800	2130	*	56	2020	M52	44	-
2000	2345	*	62	2230	M56	48	-




SIRIO
WATER SOLUTION - SINCE 1990



SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 25




EN 1092-1

DN	D	b	f	a	VITI	N. FORI	Kg
10	90	16	14	60	M12	4	1,0
15	95	16	14	65	M12	4	1,0
20	105	18	14	75	M12	4	1,0
25	115	18	14	85	M12	4	1,5
32	140	18	18	100	M16	4	2,0
40	150	18	18	110	M16	4	2,5
50	165	20	18	125	M16	4	3,0
65	185	22	18	145	M16	8	4,5
80	200	24	18	160	M16	8	5,5
100	235	24	22	190	M20	8	7,5
125	270	26	26	220	M24	8	11,0
150	300	28	26	250	M24	8	14,5
200	360	30	26	310	M24	12	22,5
250	425	32	30	370	M27	12	33,5
300	485	34	30	430	M27	16	46,5
350	555	38	33	490	M30	16	68,0
400	620	40	36	550	M33	16	89,5
450	670	50	36	600	M33	20	130,0
500	730	51	36	660	M33	20	159,0
600	845	66	39	770	M36	20	278,0
700	960	*	42	875	M39	24	-
800	1085	*	48	990	M45	24	-
900	1185	*	48	1090	M45	28	-
1000	1320	*	56	1210	M52	28	-



SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 40




EN 1092-1

DN	D	b	f	a	VITI	NL FORI	Kg
10	90	16	14	60	M12	4	1,0
15	95	16	14	65	M12	4	1,0
20	105	18	14	75	M12	4	1,0
25	115	18	14	85	M12	4	1,5
32	140	18	18	100	M16	4	2,0
40	150	18	18	110	M16	4	2,5
50	165	20	18	125	M16	4	3,0
65	185	22	18	145	M16	8	4,5
80	200	24	18	160	M16	8	5,5
100	235	24	22	190	M20	8	7,5
125	270	26	26	220	M24	8	11,0
150	300	28	26	250	M24	8	14,5
200	375	36	30	320	M27	12	29,0
250	450	38	33	385	M30	12	44,5
300	515	42	33	450	M30	16	64,0
350	580	46	36	510	M33	16	89,5
400	660	50	39	585	M36	16	127,0
450	685	57	39	610	M36	20	154,0
500	755	57	42	670	M39	20	188,0
600	890	72	48	795	M45	20	331,0



SIRIO
WATER SOLUTION - SINCE 1990

FLANGE CIECHE EN 1092-1 PN 63



EN 1092-1

DN	D	b	c	e	f	a	VITI	N. FORI	Kg.
10	100	20	40	2	14	70	M12	4	1,0
15	105	20	45	2	14	75	M12	4	1,5
20	130	22	58	2	18	90	M16	4	2,0
25	140	24	68	2	18	100	M16	4	2,5
32	155	24	78	2	22	110	M20	4	3,5
40	170	26	88	3	22	125	M20	4	4,5
50	180	26	102	3	22	135	M20	4	5,0
65	205	26	122	3	22	160	M20	8	6,0
80	215	28	138	3	22	170	M20	8	7,5
100	250	30	162	3	26	200	M24	8	10,5
125	295	34	188	3	30	240	M27	8	16,5
150	345	36	218	3	33	280	M30	8	24,5
200	415	42	265	3	36	345	M33	12	40,5
250	470	46	345	3	36	400	M33	12	58,0
300	530	52	410	4	36	460	M33	16	83,5
350	600	56	465	4	39	525	M36	16	116,0
400	670	60	535	4	42	585	M39	16	156,5
500	800	*	615	4	48	705	M45	20	-
600	930	*	735	5	56	820	M52	20	-
700	1045	*	840	5	56	935	M52	24	-



SIRIO
WATER SOLUTION - SINCE 1990